# CAPRI

## HIGH PERFORMANCE WOVENS

### Wallcoverings • Panels • Exhibits • Partitions

Crisp, sleek, and clean all describe this tightly woven dobby fabric with its broad color pallet and sparkling warp accents.

#### SPECIFICATIONS

WIDTH: TOTAL WEIGHT: FINISH:	54" 13 oz. per linear yard StainGuard		BACKING: INSTALLATION: CONTENT:	Acrylic Latex Non-Reversible / Random Match 100% Polyester		
PERFORMANCE						
FLAMMABILITY:		Passes ASTM E-84 Class A Tested in Accordance with CAN/ULC-S102 Tested in Accordance with (EN13501): B-s1,d0 rating				
COLORFASTNESS TO LIGHT:		(AATCC Method 16): Class 4 (40 hours)				
ABRASION RESISTANCE:		(ASTM D4157) Exceeds 30,000 Wyzenbeek Double Rubs				
QUALITY STANDARDS						
ENVIRONMENTAL:		Created with No PVC, No Heavy Metals or Formaldehyde, No ODS's, No Phthalates, No VOC's				
CLEANING CODE:		WS & BC – Water/Solvent & Bleach Cleanable				

#### INSTALLATION

Customs available upon request. Color & Texture May Vary Slightly Due to the Reflective Quality of the Yarn. Installation and maintenance instructions are enclosed with every shipment and should be carefully read prior to installation. For best results, it is recommended that a qualified textile wallcovering installer be employed.

#### WARRANTY

5-year limited warranty against manufacturing defects.

	USA	GE AREAS	
HEALTH CARE • Retirement Facilities • Nursing Homes • Hospitals • Nursing Stations	HOSPITALITY • Ball Rooms • Conference Rooms • Meeting Rooms DESIGNERS • Commercial Interiors Market	ENTERTAINMENT • Theatres • Recreational Centers CORPORATE • Executive Conference Rooms • General Offices	INSTITUTIONAL • Schools (Auditorium) • Government & Mass Trans. Buildings • Day Care Center





material under actual fire cognitions. Consult an architect or fire safety engineer for information on applicable building codes and reduction of fire hazards, including the use of sprinklers.

The assigned numerical reading and other tests referenced in this text are not intended to reflect hazards presented by this or any other