

STRATUS

HIGH PERFORMANCE WOVENS

Wallcoverings • Panels • Exhibits • Partitions

Adaptable and durable, this understated industry classic mimics industrial burlap updated with twists of shimmering, colorful yarns that run through the weave. Stratus is the perfect product for panel and operable wall projects.

SPECIFICATIONS

WIDTH:	54"	INSTALLATION:	Non-Reversible / Random Match
TOTAL WEIGHT:	13 oz. per linear yard	CONTENT:	51% Polyester, 49% Olefin
FINISH:	Stain Repellent		
BACKING:	Acrylic Latex		

PERFORMANCE

FLAMMABILITY:	Passes ASTM E-84 Class A Tested in Accordance with EN13501: B-s1,d0 rating
COLORFASTNESS TO LIGHT:	(AATCC Method 16): Class 5 (40 hours)
COLORFASTNESS TO CROCKING:	(AATCC Method 8): Class 3 (Wet), Class 4 (Dry)
ABRASION RESISTANCE:	(ASTM D4157) Exceeds 30,000 Wyzenbeek Double Rubs

QUALITY STANDARDS

ENVIRONMENTAL:	Created with No PVC, No Heavy Metals or Formaldehyde, No ODS's, No Phthalates, No VOC's
CLEANING CODE:	WS & BC – Water/Solvent & Bleach Cleanable

INSTALLATION

Color & texture may vary slightly due to the nature of the fiber & structure.
Installation and maintenance instructions are enclosed with every shipment and should be carefully read prior to installation.
For best results, it is recommended that a qualified textile wallcovering installer be employed.

WARRANTY

5-year limited warranty against manufacturing defects.

USAGE AREAS

HEALTH CARE

- Retirement Facilities
- Nursing Homes
- Hospitals
- Nursing Stations

HOSPITALITY

- Ball Rooms
- Conference Rooms
- Meeting Rooms

DESIGNERS

- Commercial Interiors Market

ENTERTAINMENT

- Theatres
- Recreational Centers

CORPORATE

- Executive Conference Rooms
- General Offices

INSTITUTIONAL

- Schools (Auditorium)
- Government & Mass Trans. Buildings
- Day Care Center